

HIC 64401

Built-in hob User Manual

!

!

,

,

.

,

,

,

.

,

•

.

.

•

•

.

•

,

.

,

.

.

1

:

1

.

^^

1

,

.

^

.

ç^

.


^^

.

€

^	4	11
	4	11
		4	
^		5	11
		... 5	§	
		... 6		
	 6		
	 6		
^	7		
	 7	0	
	 7		
	9		
1		9		
1	10		
	 10	^	
0		.11		
			23
			12
			13
			13
			22
			22
			22

Q



1
2

3
4

/	220-240 -/380-415 2N ~ 50
	6800
	. 16 x 3 / 32
/	H05RR-F 5 x 1,5 / 3 x 2,5 ^
	. 2
(/ /)	55 /580 /510
(/)	560 /490
	210
	2300
	140
	1200
	180
	1800
	160
	1500
-1	

Λ

• ,
• . 23 ,
• !

(),

,
1 ,
• ,

• ,
• ,
" "

(1 ,
) .

• ,
• .

• ,
• .

• ,

1


1

Λ

1

(100°).

() .



* мин.

Установка и подключение

со всеми местными нормами по подключению газового и/или электрического оборудования.

1.

(. . 4)


3

2.

3.

4.

. 4).



5.

2 .

6.

1

;

;


1.

()



2.

3.



1

#

1 23 4

*

.20 .40

#

.50

1

2

3

4

5

6


1.

2.

(WEEE).

2002/96/ ,

^



—

!

•


•

!


1

•



•




3




3





- | | |
|---|-------|
| 1 | 21-23 |
| 2 | 14-16 |
| 3 | 18-20 |
| 4 | 16-18 |



©

** /

* /

** /

()

/

/

/

(...9)

/
(
*)
(4
4
)

1

10

()

1 .

1

10

"

(*)

2

()

- 1.
- 2.

10

3.

«9» " / " «9» «1», «1»

" "s/" 2. ,


0,4 . «9»
" /"

"/ " «1». «9» « ».
"√" «9»

(. . « » 4.
«9»). ,

(Heat

Boost).



" /" ' 10 . " "
" /"
«9»<8 > «1», (,
6).

5.

; . « » «6»
(). «6»
; (. 1).

« » , •
•
« » (, «9»). " /"
«0»
• «9»

10

1.

"®" 2

1

" "

:

**

3

:

1. "/ " "√"

2. « » 9 " " 1

3. " /"

(" "

"/ " " /" :

" "

"@"

«1» «9»

2. "/ " " /"

« » " /

" 1 9

« »

3. (" "

).

" "

« » «00».

/ *' 2)"

3. "/ "
»

,

"\ I"

:

1.

"©".

«00»

2.

"/ "

" /"

3.

1.

"©"

2.


"/ " " /"

2

3.

" /"

»



»

"0"

*

:

;

1.

(

1 9).

2.

"©"

:

4

1

«00»

3

:

"©"

4

"/ " " /"

1. "©" . ; "0"

2. "[!]" . ; "©"


3. "/ " " /" ; 2

"©" " /" ;

«00»

10 " / " " /" ;

«00».



(3) (

(

1 4, 0 1

)

' " •
" "

10
«00» (10

18
" "

).

1).

(.

-1:

47,0

]

8

<u>45,9</u>	1,1		
<u>45,6</u>	1,4		60
<u>43,6</u>	3,4		180
<u>41,3</u>	5,7		288
<u>38,4</u>	8,6		390
<u>35,9</u>	11,1		510
<u>33,1</u>	<u>13,9</u>	1,5	150
26,2	20,8	1,5	210
<u>19,2</u>	<u>27,8</u>	1,5	270
	<u>47,0</u>	1,5	

" "),

60° . «0»,

60° .

60°

-2:

	1
()	2
	4

4

2, 2

:

:

70 (100 ,)

(50).

(10)

^

—

!

!

—

.

!

(')

,

).

.

,

..

()

,

,

.

(, Durgol),

.

,

,

.

.

,

.

.

,

,

,

,

.

.

.

.

^

!

•

•

,

•

/		/

:

1.

(

).

2.

: «Arcelik A.S.»
: 2-6 34445
(Karaaga9 Caddesi No:2-6 Sutluce, 34445, Turkey)

: 601010, : « » , « »
8-800-200-23-56.

, - : , "10-100001-05"
2010 .

